



ESC Fixed Indemnity Plan Design

| Essential StaffCARE Fixed Medical Benefits | | | | |
|---|--------------|---|---------|--|
| Medical Network | First Health | Prescription Network | Optum | |
| Network Provider Must Accept Pla n | Yes | Pre-Existing Condition Limitation | None | |
| Inpatient Benefits | | Outpatient Benefits ² | | |
| Standard Care per day | \$300 | Annual Outpatient Maximum | \$2,000 | |
| Intensive Care Unit Maximum per day ¹ | \$400 | Physician Office Visit per day | \$100 | |
| Inpatient Surgery per day | \$2,000 | Diagnostic (Lab) per day | \$75 | |
| Anesthesiology per day | \$400 | Diagnostic (X-Ray) per day | \$200 | |
| First Hospital Admission (1 per year) | \$250 | Ambulance Services per day | \$300 | |
| Skilled Nursing per day (for stays in a skilled nursing facility after a hospital stay) | \$100 | Physical Therapy, Speech Therapy, Occupational Therapy per day | \$50 | |
| Accidental Loss of Life, Limb & Sight | | Emergency Room Benefit - Sickness per day | \$200 | |
| Employee | \$20,000 | Emergency Room Benefit - Accident per day ³ | \$500 | |
| Spouse | \$20,000 | Outpatient Surgery per day | \$500 | |
| Dependent (6 months to 26 years) | \$5,000 | Anesthesiology per day | \$200 | |
| Dependent (15 days to 6 months) | \$2,500 | Prescription Drugs (via reimbursement) 4,5 | | |
| Wellness Care | | Annual Maximum | \$600 | |
| Wellness Care (one per year) | \$100 | Per Day | \$30 | |

¹ pays in addition to standard care benefit ² all outpatient benefits are subject to the outpatient maximum ³ covers treatment for off the job accidents only ⁴ not subject to outpatient maximum ⁵ To file a claim for reimbursement, save your receipt and remit to Planned Administrators, Inc.

| Essential StaffCARE Dental Benefits | | | | | | |
|-------------------------------------|----------------|--------------|--|--------------------|-------------|------|
| | Waiting Period | Co-Insurance | Annual Maximum Benefit | \$750 | Deductible | \$50 |
| Coverage A | None | 80% | Exams, Cleanings, Intraoral I | ilms and Bitewing | JS | |
| Coverage B | 3 Months | 60% | Fillings, Oral Surgery, and Repairs for Crowns, Bridges and Dentures | | es | |
| Coverage C | 12 Months | 50% | Periodontics, Crowns, Bridge | es, Endodontics ar | nd Dentures | |

| Essential StaffCARE Vision Benefits | | | |
|---|--|---|--|
| | In-Network | Out-of-Network | |
| Eye Examination for Glasses ¹ (including dilation) | Co-pay: \$10, plan pays 100% | Plan pays \$35, you pay remainder | |
| Frames ² | Plan pays \$110 allowance ⁴ | Plan pays \$55 | |
| Standard Plastic Lenses for Glasses ¹ | Co-pay: \$25, plan pays 100% | Co-pay: \$0, plan pays \$25-\$55 ³ | |
| Standard Contact Lens Fit ¹ | Plan pays up to \$55 | You pay 100% of the price | |
| Premium Contact Lens Fit ¹ | Plan pays 10% off the price | You pay 100% of the price | |
| Contact Lenses or Disposable Lenses ¹ | Plan pays \$110 allowance ⁴ | Plan pays \$88 | |
| Contact Lenses Medically Necessary ¹ | Plan pays 100% | Plan pays \$200 | |

¹ Once every 12 months ² Once every 24 months ³ Single Vision: \$25, Bifocal: \$40, Trifocal: \$55 ⁴ Discount on balance above allowed amount; Frames: 20%, Conventional Contact Lenses: 15%

| Essential StaffCARE Term Life Benefits | | | | |
|--|--|------------------------------------|---------|--|
| Employee Amount | \$10,000 (reduces to \$7,500 at 65; \$5,000 at 70) | Child Amount (6 mos to 26 yrs old) | \$5,000 | |
| Spouse Amount | \$5,000 (terminates at age 70) | Infant Amount (15 days to 6 mos) | \$1,000 | |

| Essential StaffCARE Short-Term Disability | | | | | |
|---|--------------------------------------|---------------------------------------|-----------------|--|--|
| Benefit | 60% of base pay up to \$150 per week | Waiting Period/Maximum Benefit Period | 7 days/26 weeks | | |

Weekly Premium

| Tier Level | Medical | Dental | Vision | Term Life | STD |
|-----------------------|---------|---------|--------|-----------|--------|
| Employee Only | \$19.98 | \$5.40 | \$2.42 | \$0.60 | \$4.20 |
| Employee + Spouse | \$37.96 | \$10.80 | \$4.84 | \$0.90 | n/a |
| Employee + Child(ren) | \$33.17 | \$14.58 | \$6.54 | \$0.90 | n/a |
| Employee + Family | \$50.55 | \$20.52 | \$9.20 | \$1.80 | n/a |





ESC Minimum Essential Coverage (MEC) Plan Design

| Minimum Essential Coverage (MEC) Benefits | | | | |
|---|--|--|--|--|
| Adults - The MEC Plan covers 100% of the allowed amount in network; 40% out of network | | | | |
| Abdominal Aortic Aneurysm One time screening for men of specified ages who have ever smoked | | | | |
| Alcohol Misuse | Screening and counseling | | | |
| | | | | |
| Aspirin Blood Pressure | Use for men and women of certain ages Screening for all adults | | | |
| | | | | |
| Cholesterol | Screening for adults of certain ages or at higher risk | | | |
| Colorectal Cancer | Screening for adults over 50 | | | |
| Depression | Screening for adults | | | |
| Type 2 Diabetes | Screening for adults with high blood pressure | | | |
| Diet | Counseling for adults at higher risk for chronic disease | | | |
| HIV | Screening for all adults at higher risk | | | |
| Immunization | Vaccines for adults' doses, recommended ages, and recommended populations vary: Hepatitis A, Hepatitis B, Herpes Zoster, Human Papillomavirus, Influenza (Flu shot), Measles, Mumps, Rubella, Meningococcal, Pneumococcal, Tetanus, Diphtheria, Pertussis, Varicella | | | |
| Obesity | Screening and counseling for all adults | | | |
| Sexually Transmitted Infection (STI) | Prevention counseling for adults at higher risk | | | |
| Tobacco Use | Screening for all adults and cessation | | | |
| Syphilis | Screening for all adults at higher risk | | | |
| Women, Including Pregnant Women - The MEC Plan covers 100% of the allowed amount in network; 40% out of network | | | | |
| Anemia | Screening on a routine basis for pregnant women | | | |
| Bacteriuria | Urinary tract or other infection screening for pregnant women | | | |
| BRCA | Counseling about genetic testing for women at higher risk | | | |
| Breast Cancer Mammography | Screenings every 1 to 2 years for women over 40 | | | |
| Breast Cancer Chemoprevention | Counseling for women at higher risk | | | |
| Breastfeeding | Comprehensive support and counseling from trained providers, as well as access to breastfeeding supplies, for pregnant and nursing women | | | |
| Cervical Cancer | Screening for sexually active women | | | |
| Chlamydia Infection | Screening for younger women and other women at higher risk | | | |
| Contraception | Food and Drug Administration approved contraceptive methods, sterilization procedures, and patient education and counseling, not including abortifacient drugs | | | |
| Domestic and Interpersonal Violence | Screening and counseling for all women | | | |
| Folic Acid | Supplements for women who may become pregnant | | | |
| Gestational Diabetes | Screening for women 24 to 28 weeks pregnant and those at high risk of developing gestational diabetes | | | |
| Gonorrhea | Screening for all women at higher risk | | | |
| Hepatitis B | Screening for pregnant women at their first prenatal visit | | | |
| Human Immunodeficiency Virus (HIV) | Screening and counseling for sexually active women | | | |
| Human Papillomavirus (HPV) DNA Test | High risk HPV DNA testing every three years for women with normal cytology results who are 30 or older | | | |
| Osteoporosis | Screening for women over age 60 depending on risk factors | | | |
| Rh Incompatibility | Screening for all pregnant women and follow-up testing for women at a higher risk | | | |
| Tobacco Use | Screening and interventions for all women, and expanded counseling for pregnant tobacco users | | | |
| Sexually Transmitted Infections (STI) | Counseling for sexually active women | | | |
| Syphilis | Screening for all pregnant women or other women at increased risk | | | |
| Well-Woman Visits | To obtain recommended Preventive services for women under 65 | | | |

| Children - The MEC Plan covers 100% of the allowed amount in network; 40% out of network | | |
|--|---|--|
| Alcohol and Drug Use | Assessments for adolescents | |
| Autism | Screening for children at 18 and 24 months | |
| Behavioral | Assessments for children of all ages: 0-11 months; 1 to 4 years; 5 to 10 years; 11 to 14 years; 15 to 17 years | |
| Blood Pressure | Screenings for children: 0-11 months; 1 to 4 years; 5 to 10 years; 11 to 14 yers; 15 to 17 years | |
| Cervical Dysplasia | Screening for sexually active females | |
| Congenital Hypothyroidism | Screening for newborns | |
| Depression | Screening for adolescents | |
| Developmental | Screening for children under age 3, and surveillance throughout childhood | |
| Dyslipidemia | Screening for children at higher risk of lipid disorders. Ages: 1 to 4 years; 5 to 10 years; 11 to 14 years; and 15 to 17 years | |
| Fluoride Chemoprevention | Supplements for children without fluoride in their water source | |
| Gonorrhea | Preventive medication for the eyes of all newborns | |
| Hearing | Screening for all newborns | |
| Height, Weight, and Body Mass Index | Measurements for children ages: 0-11 months; 1 to 4 years; 5 to 10 years; 11 to 14 years; 15 to 17 years | |
| Hematocrit or Hemoglobin | Screening for children | |
| Hemoglobinopathies | Or Sickle Cell screening for newborns | |
| HIV | Screening for adolescents at higher risk | |
| Immunization | Vaccines for children from birth to age 18 doses, recommended ages, and recommended populations vary: Diphtheria, Tetanus, Pertussis, Haemophilus Influenzae Type B, Hepatitis A, Hepatitis B, Human Papillomavirus, Inactivated Poliovirus, Influenza (Flu Shot), Measles, Mumps, Rubella, Meningococcal, Pneumococcal, Rotavirus, Varicella | |
| Iron | Supplements for children ages 6 to 12 months at risk for anemia | |
| Lead | Screening for children at risk of exposure | |
| Medical History | For all children throughout development: Ages: 0-11 months; 1 to 4 years; 5 to 10 years; 11 to 14 years; 15 to 17 years | |
| Obesity | Screening and counseling | |
| Oral Health | Risk assessment for young children: Ages: 0 to 11 months; 1 to 4 years; 5 to 10 years | |
| Phenylketonuria (PKU) | Screening for this genetic disorder in newborns | |
| Sexually Transmitted Infection (STI) | Prevention counseling and screening for adolescents at higher risk | |
| Tuberculin | Testing for children at higher risk of tuberculosis: Ages 0 to 11 months; 1 to 4 years; 5 to 10 years; 11 to 14 years; and 15 to 17 years | |
| Vision | Screening for all children | |

Monthly Premium

| 4 Tier Rates | MEC Monthly Rates |
|-----------------------|-------------------|
| Employee Only | \$58.19 |
| Employee + Child(ren) | \$65.79 |
| Employee + Spouse | \$71.00 |
| Employee + Family | \$80.87 |